

PATIENT ENROLLMENT FORM Fax completed form to Vertex at (888) 952-5933 | Phone: (877) 752-5933

PATIENT INFORMATION			
*First Name:	Middle Initial:	*Last Name:	
*Date of Birth (mm/dd/yyyy):	Preferred Name:		Pronouns:
For Insurance Verification Purposes:	Last 4 Digits of SSN:	Sex: 🗆 Male 🗆 Female	
Address:		City:	*State: Zip Code:
Check Preferred: ☐ Mobile:	□ Home:	OK to Leave Messages	?□YES □NO
Email:		Language: □ English □	Spanish 🗆 Other:
PRIMARY CAREGIVER, LEGA	AL GUARDIAN, OR ADDITIO	ONAL CONTACT	
□ Primary Caregiver □ Legal Guardia			
-			
		·	
Language: ☐ English ☐ Spanish ☐ Ot	her:		
INSURANCE INFORMAT	TON This section is not required	d if you attached a face sheet c	or copies of the insurance and prescription cards.
Prescription Drug Insurance:		Rx ID#:	Rx Group#:
Rx BIN#:	_ Rx PCN#:	Phone:	Employer Name:
Primary Medical Insurance:		Phone:	Policyholder:
ID#:	_ Group#:	Policyholder Relationship to I	Patient:
Secondary Insurance:		Phone:	Policyholder:
ID#:	_ Group#:	Policyholder Relationship to I	Patient:
Additional Information			
Is the patient enrolled in a government plan offered on a state or federal mark	• =		or TRICARE®, a qualified health plan (QHP), or a
	ketplace or exchange? ☐ YES ☐ N		or TRICARE®, a qualified health plan (QHP), or a
plan offered on a state or federal mark	xetplace or exchange? ☐ YES ☐ N	0	or TRICARE®, a qualified health plan (QHP), or a Center Fax:
plan offered on a state or federal mark CENTER INFORMATION Center Name:	xetplace or exchange? ☐YES ☐ N	Onone:	



PATIENT ENROLLMENT FORM Fax completed form to Vertex at (888) 952-5933 | Phone: (877) 752-5933

*Specify the Patient's India trikafta (elexacaftor/tezacaftor/ivacaftor and ivacaftor) f	Care, LLC AllianceRx Walgreen Fairview Specialty Phenomena Fairview Specialty Spec	BER AUTHO Cacaftor 80 mg/te f soft food or lique ftor 59.5 mg) in the front food, approximate food, a	Mutation Pezacaftor 40 mg/ivacaftor 60 m Letting and with fat-containing food the evening mixed with 1 tsp (5 Letting and with fat-containing food the evening mixed with 1 tsp (5 Letting and with fat-containing food the evening mixed with 1 tsp (5 m Letting and with fat-containing food the evening mixed with 1 tsp (5 m Letting and with fat-containing dose and ivacaftor 37.5 mg) in the model Letting and make the	n cards. 2:	28-day supply 84-day supply
CLINICAL INFORM *Specify the Patient's Indi trikafta (elexacaftor/tezacaftor/ivacaftor and ivacaftor)	Please include a face sheet of ATION AND PRESCRI cated Mutation(s): Mutation 1 DNE oral granules packet (elexanorning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivacanood or liquid and with fat-contain DNE oral granules packet (elexanorning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivacanorning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivacanor liquid and with fat-containing for TWO tablets (elexacaftor 50 mg) at-containing food DNE tablet (ivacaftor 75 mg) in fifter morning dose TWO tablets (elexacaftor 100 mg) in at-containing food DNE tablet (ivacaftor 150 mg) in at-containing food	BER AUTHO Cacaftor 80 mg/te f soft food or lique ftor 59.5 mg) in the front food, approximate food, a	Optum Specialty Pharmacy e insurance and prescriptio ORIZATION Mutation Ezacaftor 40 mg/ivacaftor 60 m aid and with fat-containing food the evening mixed with 1 tsp (5 m attention to the evening mixed with 1 tsp	n cards. 2:	☐ 28-day supply
*Specify the Patient's India trikafta (elexacaftor/tezacaftor/vivacaftor and ivacaftor) f	ATION AND PRESCRIcated Mutation (s): Mutation 1 ONE oral granules packet (elexanorning mixed with 1 tsp (5 mL) or one of liquid and with fat-contain one or liquid and with fat-contain one or liquid and with 1 tsp (5 mL) or one or liquid and with 1 tsp (5 mL) or one or liquid and with fat-containing for one or liquid and with fat-containing for one of liquid and with fat-containing for one of the oral granules packet (ivacator liquid and with fat-containing for one of the oral granules of the oral granules for one of the oral granules of the oral granules for one of the oral granules of the	scaftor 80 mg/te f soft food or liqu ftor 59.5 mg) in the ining food, approx acaftor 100 mg/t f soft food or liqu ftor 75 mg) in the ood, approximate f/tezacaftor 25 mg the evening with	Mutation Pezacaftor 40 mg/ivacaftor 60 m Letting and with fat-containing food the evening mixed with 1 tsp (5 Letting and with fat-containing food the evening mixed with 1 tsp (5 Letting and with fat-containing food the evening mixed with 1 tsp (5 m Letting and with fat-containing food the evening mixed with 1 tsp (5 m Letting and with fat-containing dose and ivacaftor 37.5 mg) in the model Letting and make the	2:	
*Specify the Patient's India trikafta (elexacaftor/tezacaftor/vacaftor and ivacaftor)	DNE oral granules packet (elexanorning mixed with 1 tsp (5 mL) or DNE oral granules packet (ivacanood or liquid and with fat-contain DNE oral granules packet (elexanorning mixed with 1 tsp (5 mL) or DNE oral granules packet (ivacanor liquid and with fat-containing for DNE oral granules packet (ivacaor liquid and with fat-containing for WO tablets (elexacaftor 50 mg) at-containing food DNE tablet (ivacaftor 75 mg) in fifter morning dose TWO tablets (elexacaftor 100 mg) in at-containing food DNE tablet (ivacaftor 150 mg) in at-containing food DNE tablet (ivacaftor 150 mg) in tablet (ivacafto	caftor 80 mg/te f soft food or liqu ftor 59.5 mg) in thing food, approximated food or liqu ftor 75 mg) in the food, approximated from 25 mg the evening with the evening with the galaxy for 25 mg	Mutation Ezacaftor 40 mg/ivacaftor 60 m Juid and with fat-containing food the evening mixed with 1 tsp (5 Ezacaftor 50 mg/ivacaftor 75 Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evening mixed with 1 tsp (5 m Juid and with fat-containing food the evenin	mg) in the mL) of soft dose mg) in the L) of soft food prining with tely 12 hours	
trikafta (elexacaftor/tezacaftor/vacaftor and ivacaftor) f	DNE oral granules packet (elexanorning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivacanoed or liquid and with fat-contain DNE oral granules packet (elexanorning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivacanor liquid and with fat-containing for TWO tablets (elexacaftor 50 mg) at-containing food DNE tablet (ivacaftor 75 mg) in fater morning dose TWO tablets (elexacaftor 100 mat-containing food DNE tablet (ivacaftor 150 mg) in tablet (ivacaftor 150 mg) i	facaftor 80 mg/te f soft food or lique ftor 59.5 mg) in the sing food, approxed facaftor 100 mg/te f soft food or lique ftor 75 mg) in the sood, approximate in/tezacaftor 25 methe evening with	ezacaftor 40 mg/ivacaftor 60 m aid and with fat-containing food the evening mixed with 1 tsp (5 simately 12 hours after morning of tezacaftor 50 mg/ivacaftor 75 aid and with fat-containing food the evening mixed with 1 tsp (5 m ale y 12 hours after morning dose mg/ivacaftor 37.5 mg) in the more fat-containing food, approximant	mg) in the mL) of soft dose mg) in the L) of soft food prining with tely 12 hours	
trikafta (elexacaftor/tezacaftor/vacaftor and ivacaftor) f	norning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivaca cood or liquid and with fat-contain DNE oral granules packet (elexa morning mixed with 1 tsp (5 mL) of DNE oral granules packet (ivaca or liquid and with fat-containing for TWO tablets (elexacaftor 50 mg) at-containing food DNE tablet (ivacaftor 75 mg) in fatter morning dose TWO tablets (elexacaftor 100 mat-containing food DNE tablet (ivacaftor 150 mg) in at-containing food DNE tablet (ivacaftor 150 mg) in tab	f soft food or liquiftor 59.5 mg) in a sing food, approximator 100 mg/t f soft food or liquiftor 75 mg) in the cod, approximate interaction 25 m the evening with a g/tezacaftor 50	uid and with fat-containing food the evening mixed with 1 tsp (5 kimately 12 hours after morning of tezacaftor 50 mg/ivacaftor 75 uid and with fat-containing food the evening mixed with 1 tsp (5 m tely 12 hours after morning dose the morning dose that the morning food, approximately 12 mg/ivacaftor 37.5 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg) in the morning food, approximately 15 mg/ivacaftor 75 mg/ivacaf	mL) of soft dose mg) in the L) of soft food orning with tely 12 hours	
(h fat-containing food, approxim	ately 12 hours	
Symaeko* (tezacaftor/ivacaftor)	ONE tablet (ivacaftor 75 mg) in factor of the fitter morning dose ONE tablet (tezacaftor 100 mg/at-containing food	tablet (tezacaftor 100 mg/ivacaftor 150 mg) in the morning with ntaining food tablet (ivacaftor 150 mg) in the evening with fat-containing food, approximately		☐ 28-day supply ☐ 84-day supply	
ORKAMBI*	DNE oral granules packet (75 m DNE oral granules packet (100 n DNE oral granules packet (150 n Every 12 hours mixed with 1 tsp (5 ood or liquid and fat-containing f	mg/125 mg) mg/188 mg) 5 mL) of soft	TWO tablets (100 mg/125 TWO tablets (200 mg/125 Every 12 hours with fat-conta	mg)	☐ 28-day supply ☐ 84-day supply
kalydeco	ONE oral granules packet (5.8 m ONE oral granules packet (13.4 m ONE oral granules packet (25 m ONE oral granules packet (50 m	mg) g)	ONE oral granules packet Every 12 hours mixed with 1 soft food or liquid and fat-co ONE tablet (150 mg) Every 12 hours with fat-conta	tsp (5 mL) of intaining food	28-day supply 84-day supply
Special Instructions:	□ Dispense as				
By signing below, I certify that (1) the patient listed above; (2) I have contractors and business partners prescription requirements and uncunderstand that information I prov	he Vertex Pharmaceuticals Incorporany consent required under federal ("Contractors") for benefits verificaterstand non-compliance with these ide on this form, if signed by the paription to the applicable pharmacy. e (no stamp allowed):	rated ("Vertex") th I and state law for rition and coordinate e requirements cou atient, will be used	the release of the patient's information of dispensing Vertex medicinuld result in further outreach by the	ation on this form e; (3) I will comply ne patient's specia	n to Vertex and its with state-specific alty pharmacy; (4) I
iignature			*Signat	ure Date	
Prescriber First Name:	*Prescribe	or Last Name		NPI#:	



PATIENT ENROLLMENT FORM

Fax completed form to Vertex at (888) 952-5933 | Phone: (877) 752-5933

Vertex Guidance and Patient Support program ("Vertex GPS"TM) provides product support to appropriate patients who have been prescribed a Vertex medicine. This includes: (1) reimbursement and financial support (such as investigating your insurance coverage, confirming out-of-pocket costs, and reviewing eligibility for financial assistance); (2) working with you and your pharmacy to fill your prescription; and (3) providing you with disease, medication, and adherence-related educational resources and communications ("GPS Support").

*Patient Name:	*Date of Birth:	(mm/dd/yyyy)
PRIVACY AUTHORIZATION		
By signing below, I authorize my healthcare providers and (such as information about my diagnosis and treatm Information to Vertex Pharmaceuticals Incorporated (include business partners ("Contractors"), to enroll me in Vertex conduct business activities with my de-identified information	nent) and insurance information ding Vertex GPS) and its affiliates (" GPS, provide the GPS Support, ad	(my "Information") and disclose my Vertex"), as well as its contractors and minister the Vertex GPS program, and
I understand that once my Information is disclosed, my Information is disclosed, my Informations disclosed; however, Vertex and its Contractors will only that my pharmacy will receive payment from Vertex for disclosed Authorization and that this will not affect my treatment, if I do not sign this Authorization, I will not be able to receive by mailing a letter requesting cancellation to Vertex Given will not apply to any Information already used or disclosed this Authorization prior to their receipt of the cancellation as otherwise required by state or local law, unless I cancellation.	y use and disclose my Information closing my Information to Vertex. It is nsurance coverage, or eligibility for eive GPS Support. I understand that GPS, 50 Northern Avenue, Boston, Northern Avenue	as described in this form. I understand understand that I can refuse to sign this benefits or Vertex products. However, I may cancel this Authorization at any AA 02210. I understand my cancellation aff, health plan, or pharmacy based on years from the date signed below, or
*Patient or Legal Guardian Signature:	*Relationship to Patient:	*Signature Date:(mm/dd/yyyy)
ENROLLMENT INTO GPS		
By signing below, I confirm I would like to enroll in Vertex GPS Support. I understand that Vertex GPS is an optional pand share it with each other, my healthcare providers and sconnection with providing the GPS Support, administering meet its legal obligations. For example, Vertex and its Continessage [†]), request feedback or participation in market reset to my needs, and share information with my healthcare provits Contractors to send text messages to the phone number in Vertex GPS or purchasing anything from Vertex. I may retext messages by replying STOP to any such text from Vert Vertex and its Contractors may de-identify my Information, information for Vertex's business purposes.	program. I agree that Vertex and its staff, my health plan, my pharmacy, or updating the Vertex GPS program tractors may communicate with me earch, use my Information to tailor Goviders about dispensing my Vertex (s) I provide. I understand this constant this authorization and choose the cor by contacting Vertex in writing	Contractors may use my Information and patient assistance programs in an or as otherwise required for Vertex to (such as by mail, phone, email, and text GPS Program-related communications medicine to me. I authorize Vertex and ent is not a condition of participating not to receive automated calls and g at the address above. I understand
For California Residents: By signing below, I acknowledge twww.vrtx.com/english-privacy-us-residents/#5.	hat I have reviewed and understand	d Vertex's Privacy Notice, available at:

Please specify any additional contacts with whom Vertex GPS is allowed to discuss your information in addition to the Primary Contact listed on page 1 of this form:

Relationship to Patient: _

[†]Additional charges may apply. I understand that my telephone provider may charge me fees for calls or texts I receive and I agree that Vertex will not pay those fees.

*Required field

(mm/dd/yyyy)

_ *Signature Date: ____

*Patient or Legal Guardian Signature: ___

Additional Contact Name: _



WE'RE HERE TO HELP YOU GET THERE

Vertex GPS™: Guidance & Patient Support offers personalized, one-on-one support to help you start and stay on track with your Vertex treatment. Once you're enrolled, you'll be assigned a dedicated GPS Support Specialist who will be with you every step of the way.

Here are just some of the ways your Support Specialist can help:



Get you started on treatment by verifying your coverage and out-of-pocket costs with your insurance company. Your Support Specialist will also connect with your healthcare provider to discuss any requirements or questions your insurance company may have while determining coverage.



Help you explore financial assistance options. And if you have commercial insurance, the Vertex GPS Co-pay Assistance Program may be able to lower your co-pay to as little as \$0 per fill.*

*Limitations apply. Annual assistance is limited to a maximum of \$20,000. Not available to individuals with government-funded insurance such as Medicaid, Medicare, and TRICARE®. Vertex reserves the right to rescind, revoke, or amend this assistance program at any time.



Keep you on track with your treatment by coordinating shipments with your specialty pharmacy and reminding you when it's time to refill your Vertex medicine. And if your daily routine changes, your Support Specialist can help you pre-plan refills, ship your medicine to a new address, and share tips to help you stay motivated.



Meet your everyday needs with information on nutrition and tips for staying physically active and maintaining a healthy mindset. And if you're caring for someone on a Vertex medicine, your Support Specialist can send educational resources to help you teach your loved one about the importance of their daily treatment routine.



Plan for what's ahead as you approach big life changes. Your Support Specialist can help you prepare for your next chapter and give you tips on staying on track with your Vertex treatment. They can also share experiences from others in this community.



Vertex GPS is just a phone call away. To speak with us, call or text **1-877-752-5933 (press 2 when calling)**, Monday through Friday, from 8:30 AM to 7 PM ET.



Discover more about GPS and the support resources available at VertexGPS.com.

